

This listing of claims will replace all prior versions, and listings, of claims in the application.

## LISTING OF CLAIMS

1. (Currently Amended) A telecommunications method using at least one first telecommunications device that is adapted for radio communication with a first public network according to a first radiocommunication protocol, ~~method in which~~ wherein the first telecommunications device is made to wirelessly communicate locally with at least a second telecommunications device that is itself adapted for communicating with a second public network, the first and second telecommunications devices thus belonging to a local communication network, wherein the first telecommunications device is wirelessly controlled from the second telecommunications device and an outgoing call of the local communication network is sent selectively either to the first public network by ~~means~~ radio communication of the first telecommunications device, or to the second public network.

2. (Previously Presented) The method according to claim 1, in which a user is required to choose between the transmission of the outgoing call by the first public network and by the second public network.

3. (Previously Presented) The method according to claim 1, in which an automatic choice is determined between the transmission of the outgoing call by the first public network and by the second public network.

4. (Previously Presented) The method according to claim 3, in which an outgoing call transmission is automatically chosen by the second network, except if the communication with the second network is unavailable.

5. (Previously Presented) The method according to claim 3, in which a user is required to validate the automatic choice.

6. (Previously Presented) The method according to claim 1, in which the local communication network is a local radio network comprising a fixed base linked with the second public network and to at least one local network terminal communicating with the base according to a second radiocommunication protocol, and the second telecommunications device is either the base or the local network terminal.

7. (Previously Presented) The method according to claim 6, in which the first telecommunications device is made to communicate with the second telecommunications device according to the second radiocommunication protocol.

8. (Previously Presented) The method according to claim 6, in which the radiocommunication protocol is chosen from: "BLUETOOTH", "WIFI" and "DECT".

9. (Previously Presented) The method according to claim 1, in which the first public network is a cellular radiocommunication network and the second public network is a switched telephone network.

10. (Currently Amended) The method according to claim 1, comprising an identification stage during which it is determined whether the first telecommunications device is connected to the second telecommunications device, and a routing stage during which, when it has been determined that the first telecommunications device is connected to the second telecommunications device, an incoming call is routed to the first telecommunications device, when the incoming call is normally intended to be routed to ~~the~~ a local switched network by the second public network and when the local communication network is unavailable to receive ~~this~~ the incoming call.

11. (Previously Presented) The method according to claim 1, comprising an identification stage during which it is determined whether the first telecommunications device is connected to the second telecommunications device, and a routing stage during which, when it has been determined that the first telecommunications device is connected to the second telecommunications device, an incoming call normally intended to set up a link with the first telecommunications device, is routed to the local communication network by means of the second public network.

12. (Previously Presented) The method according to claim 1, in which at least the first telecommunications device comprises a telephone phonebook, and this telephone phonebook is made accessible by means of the second telecommunications device.

13. (Currently Amended) A telecommunications system comprising at least the first and second telecommunications devices, the first telecommunications device being adapted for radio communication with a first public network according to a first radiocommunication protocol, and the first telecommunications device being adapted to wirelessly communicate at least with the second telecommunications device which is itself adapted to communicate with a second public network, the first and second telecommunications devices thus belonging to a local communication network, wherein the second telecommunications device is adapted to wirelessly control the first telecommunications device and to send an outgoing call of the local communication network selectively either to the first public network by means radio communication of the first telecommunications device, or to the second public network.

14. (Previously Presented) The telecommunications system according to claim 13, in which the second telecommunications device is adapted so that a user is required to choose between the transmission of an outgoing call by the first public network and the second public network.

15. (Previously Presented) The telecommunications system according to claim 13, in which the second telecommunications device is adapted to make an automatic choice between the transmission of the outgoing call by the first public network and the second public network.

16. (Previously Presented) The telecommunications system according to claim 15, in which the second telecommunications device is adapted to make an automatic choice about the transmission of the outgoing call by the second network, except if the communication with the second network is unavailable.

17. (Previously Presented) The telecommunications system according to claim 15, in which the second telecommunications device is adapted to require the user to validate the automatic choice.

18. (Previously Presented) The telecommunications system according to claim 13, in which the local communication network is a local radio network comprising a fixed base linked with the second public network and at least one local network terminal communicating with the base according to a second radiocommunication protocol, and the second telecommunications device is either the base or the local network terminal.

19. (Previously Presented) The telecommunications system according to claim 18, in which the first telecommunications device is adapted to communicate with the second telecommunications device according to the second radiocommunication protocol.

20. (Previously Presented) The telecommunications system according to claim 18, in which the radiocommunication protocol is chosen from: "BLUETOOTH", "WIFI" and "DECT".

21. (Previously Presented) The telecommunications system according to claim 13, in which the first public network is a cellular radiocommunication network and the second public network is a switched telephone network.